Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1541	(linear adj bearing) and aluminum	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/29 13:17
L2	40	L1 and "74"\$.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/29 13:27
L3	10774	train with coupling	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/29 13:31
L4	643	L3 with section	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/29 13:30
L5	41	L3 with bushing	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/29 13:30
L6	1408	train with coupling with cars	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/29 13:37
L7	41	train with coupling with bushing	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/29 13:35
L8	905	train with coupling with connection	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/29 13:40
L9	957	train with coupling with plurality	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/29 13:42
L10	7161	coupling with plurality with sections	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/29 14:03
L11	10833	connecting with bushing	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/29 14:12
L12	8285	L11 and sections	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/29 14:04
L13	16693	connection with bushing	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/29 14:12
L14	96	L13 and (toothed with rack)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/29 14:16
L15	31322	connecting with box	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/29 14:16

						-
L16	3632	coupling with adjoining	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/29 14:31
L17	6379	coupling with trailer	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/29 14:36
L18	24	L17 with bushing	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/29 14:45
L19	281	L17 with plurality	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/29 15:11
L20	20435	bar with connectors	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/29 15:12
L21	177	L20 with bushing	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/29 15:17
L22	10774	train with coupling	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/29 15:20
L23	1681	train with connector	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/29 15:35
L24	17088	pipe with connector	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/29 15:44
L25	70716	compartment with connect\$3	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/29 15:44
L26	1411	L25 with coupling	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/29 16:17
L27	92553	"403"\$.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/29 16:03
L28	152	403/109.1.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/29 16:27
L29	55	403/109.2.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/29 16:35
L30	48	403/109.6.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/29 16:35
S1	67	74/89.11.ccls.	USPAT	OR	OFF	2006/03/27 15:29

S2	69	74/89.11.ccls.	US-PGPUB; USPAT	OR	ON	2006/03/22 15:51
S3	372	74/89.17.ccls.	US-PGPUB; USPAT	OR	ON	2006/03/22 15:51
S4	13991	rack adj pinion	USPAT	OR	OFF	2006/03/23 11:46
S5	2281	S4 and tool	USPAT	OR	OFF	2006/03/23 11:35
S6	1180	S5 and power	USPAT	OR	OFF	2006/03/23 11:35
S7	3	"5549390"	USPAT	OR	OFF	2006/03/23 13:19
S8	2	("5549390").URPN.	USPAT	OR	ON	2006/03/23 13:34
S9	4	"5845996"	USPAT	OR	ON	2006/03/23 14:20
S10	3	"5549390"	USPAT	OR	ON	2006/03/23 16:46
S11	74	"74"\$.ccls. and (guide adj section)	USPAT	OR	ON	2006/03/24 08:12
S12	48	"384"\$.ccls. and (guide adj section)	USPAT	OR	ON	2006/03/24 08:22
S13	544	"384"\$.ccls. and (guide adj rail)	USPAT	OR	ON	2006/03/24 08:38
S14	17	"384"\$.ccls. and (guide adj rail) and toothed	USPAT	OR	ON	2006/03/24 09:46
S15	6	S13 and inwardly and undercut	USPAT	OR	ON	2006/03/24 15:54
S16	2	("5549390").URPN.	USPAT	OR	ON	2006/03/24 08:45
S17	2	S14 and inwardly	USPAT	OR	ON	2006/03/24 09:37
S18	8	("1027759" "2907610" "4682899" "4925320" "4941197" "5324118"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/24 09:09
S19	0	S14 and S15	USPAT	OR	ON	2006/03/24 09:46
S20	543	403/381.ccls.	USPAT	OR	ON	2006/03/24 15:54
S21	742	403/381.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/24 15:55
S22	3	"5549390"	USPAT	OR	OFF	2006/03/27 11:12
S23	8	("1027759" "2907610" "4682899" "4925320" "4941197" "5324118"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/27 09:49
S24	840939	DE "4326194"	EPO	OR	ON	2006/03/27 09:49
S25	0	"4326194"	EPO	OR	ON	2006/03/27 09:49
S26	16568	toothed rack	EPO	OR	ON	2006/03/27 09:52
S27	0	DE-4326194-\$.did.	EPO	OR	ON	2006/03/27 09:55
S28	1	DE-19749625-\$.did.	EPO	OR	ON	2006/03/27 10:00
S29	5	"5845996"	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/27 11:09

		EAST Scare	,			
S30	1	S22 and steel	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/27 11:09
S31	15	toothed near5 rack near5 steel	USPAT	OR	OFF	2006/03/27 11:32
S32	3	S31 and aluminum	USPAT	OR	OFF	2006/03/27 13:40
S33	11	"74"\$.ccls. and (toothed near5 rack near5 steel)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/27 13:50
S34	4	S29 and steel	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/27 13:55
S35	0	S33 and (connector near bushing)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/27 13:56
S36	14	"74"\$.ccls. and (connector near bushing)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/27 14:04
S37	55	"74"\$.ccls. and (connection near bushing)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/27 14:27
S38	67	"403"\$.ccls. and (connection near bushing)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/27 15:01
S39	2516	inwardly near10 undercut	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/27 15:02
S40	62	S39 and (guide near5 section)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/27 15:03
S41	14	"3888340"	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/27 15:26
S42	0	S41 and (steel near10 rack)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/27 15:25
S43	0	S41 and steel	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/27 15:26
S44	2116	"403"\$.ccls. and (connection and bushing)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/27 15:32
S45	357	(guide near2 section) and (toothed near5 rack)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/27 15:50
S46	71	S45 and steel	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/27 16:48

S47	31417	(guide near2 section) and connect\$4	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/27 16:49
S48	285	S47 and (toothed near2 rack)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/27 16:49
S49	0	("2004/0255709").URPN.	USPAT	OR	ON	2006/03/27 16:52
S50	0	("2004/0255709").URPN.	USPAT	OR	ON	2006/03/27 16:53
S51	129	(guide near2 section) and (connect\$4 near2 bushing)	USPAT	OR	ON	2006/03/27 16:56
S52	3	S51 and (toothed near2 rack)	USPAT	OR	ON	2006/03/27 17:02
S53	30	multiple near2 guide near2 section	USPAT	OR	ON	2006/03/27 17:09
S54	0	"74"\$.ccls. and (multiple near2 guide near2 section)	USPAT	OR	ON	2006/03/27 17:09
S55	3	"74"\$.ccls. and (plurality near2 guide near2 section)	USPAT	OR	ON	2006/03/27 17:39
S56	1	S55 and transverse	USPAT	OR	ON	2006/03/27 17:39
S57	59	"403"\$.ccls. and plurality and (connection near2 bushing)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/28 08:18
S58	0	S57 and (guide near2 section)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/28 08:18
S59	0	S57 and (guide near2 rail)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/28 08:18
S60	1	S57 and (toothed near2 rack)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/28 08:36
S61	5	"5845996"	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/28 08:36
S62	4	S61 and steel	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/28 09:48
S63	2	"74"\$.ccls. and (steel near2 toothed near2 rack)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/28 09:59
S64	0	S63 and aluminum	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/28 09:54
S65	14	("0515672" "0766393" "3211492" "3241283" "3289350" "3464655" "4162103" "5351441").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/28 09:59

3/29/2006 5:58:08 PM C:\Documents and Settings\Wwindley\My Documents\EAST\Workspaces\firstlayout.wsp Page 5

S66	0	S65 and (steel near2 toothed near2 rack)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/28 09:59
S67	0	S65 and (steel near5 toothed near5 rack)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/28 10:00
S68	2	S65 and (toothed near5 rack)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/28 10:19
S69	3	toothed near2 rack near2 bushing	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/28 10:23
S70	42	toothed near10 rack near10 bushing	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/28 11:33
S71	147	"74"\$.ccls. and (rack with steel)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/28 11:45
S72	14	"74"\$.ccls. and (toothed with rack with steel)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/28 11:45
S73	10	"4297979"	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/28 12:51
S74	0	"10766241" and (toothed with rack with steel)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/28 12:52
S75	0	"SHEET METAL INDUSTRIES- INC."	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/28 14:28
S76	13	"888503"	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/28 14:47
S77	5	"4355778"	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/28 14:47
S78	9	("4297979").URPN.	USPAT	OR	ON	2006/03/28 15:57
S79	31	"74"\$.ccls. and (toothed with rack with recess)	USPAT	OR	ON	2006/03/28 16:34
S80	158	"74"\$.ccls. and (bushing with coupling)	USPAT	OR	ON	2006/03/28 17:06
S81	21	S80 and rack	USPAT	OR	ON	2006/03/28 16:34

S82	23	("3753375" "3831697" "4144948" "4218933" "4527465" "4721175" "4724714" "4809806" "4815329" "4939947" "5070958" "5213174" "5251717" "5482132" "5579861" "5651424" "5660078" "5694810" "5735365" "5842537" "6193008" "6283244" "6439337").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/28 16:46
S83	13	"74"\$.ccls. and (bushing with coupling with section)	USPAT	OR	ON	2006/03/28 17:27
S84	0	"74"\$.ccls. and (bushing with coupling with rail with section)	USPAT	OR	ON	2006/03/28 17:13
S85	4	(bushing with coupling with rail with section)	USPAT	OR	ON	2006/03/28 17:13
S86	0	"74"\$.ccls. and (bushing with coupling with section with adjoining)	USPAT	OR	ON	2006/03/28 17:27
S87	3	(bushing with coupling with section with adjoining)	USPAT	OR	ON	2006/03/28 17:29
S88	5	"74"\$.ccls. and (coupling with section with adjoining)	USPAT	OR	ON	2006/03/28 17:30
S89	1	("6042298").URPN.	USPAT	OR	ON	2006/03/28 17:33
S90	2	("4669324" "4880219").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/28 17:35
S91	22	pez with dispenser	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/28 17:48
S92	5	"5845996"	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/28 17:58
S93	2	S92 and (rack with steel)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/28 17:59
S94	0	S92 and (rack with metal)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/28 17:59
S95	0	S92 and (rack with metal)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/28 17:59